

## HBO 1002 W/NIL

HBO-IC Microlithography lamps for Nikon i-line systems | Microlithography lamps for Nikon i-line systems




# Product datasheet

## Technical data

### Electrical data

Nominal voltage	27.1 V
Nominal current	25.8 A
Type of current	DC
Rated wattage	750.00 W
Nominal wattage	750.00 ... 1000.00 W

### Dimensions & weight



Diameter	29.0 mm
Length	190.0 mm
Mounting length	168.0 mm
Electrode gap cold	3.0 mm

### Additional product data

Product remark	Lamp suitable for pulsed operation between 700...1000 W
----------------	---

### Capabilities

Burning position	Other <sup>1)</sup>
------------------	---------------------

<sup>1)</sup> Anode underneath

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	24-06-2022
Primary Article Identifier	4050300461427   4050300461403   4008321474032
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1

## Product datasheet

<b>Safe Use Instruction</b>	The identification of the Candidate List substance is sufficient to allow safe use of the article.
<b>Declaration No. in SCIP database</b>	a26110e2-bfaa-414e-a23a-66ef049262ec   6B6A843C-4C31-4245-A669-C55C9F941FC5

## Product datasheet

---

### Safety advice

Because of their high luminance, UV radiation and high internal pressure (when hot) HBO lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. More information is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300461403	HBO 1002 W/NIL	Rolling folding box 1	268 mm x 72 mm x 72 mm	1.39 dm <sup>3</sup>	393.00 g
4050300461410	HBO 1002 W/NIL	Shipping carton box 8	335 mm x 185 mm x 315 mm	19.52 dm <sup>3</sup>	2411.00 g
4050300461427	HBO 1002 W/NIL	Shipping carton box 1	330 mm x 110 mm x 115 mm	4.17 dm <sup>3</sup>	764.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

- For further information on HBO lamps and notes for manufacturers of control gear, please refer to the following publications, available on request from OSRAM:
    - “Specifications for power supply units for dc operated HBO mercury short-arc lamps”
    - “Specifications for power supply units for ac operated HBO mercury short-arc lamps”
    - “Specifications for igniters for HBO mercury short-arc lamps”
    - “Availability of power supplies and igniters”
    - “Mercury short arc lamps HBO for microlithography, Technology and Application”
- 

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---