

## HMI 4000W/SE/XS 1/CS 1/SKU



Technical data


Electrical data

Nominal voltage	200 V
Nominal current	24 A
Lamp voltage	200 V
Nominal wattage	4000.00 W

Photometrical data

Nominal luminous flux	380000 lm
Color temperature	6000 K
Color rendering index Ra	90

Dimensions & weight



Diameter	75.0 mm
Length	250.0 mm
Light center length (LCL)	142.0 mm

Lifespan

Lifespan	500 h
----------	-------

Additional product data

Base (standard designation)	GX38
-----------------------------	------

Capabilities

Burning position	Any
------------------	-----

Certificates & standards

EEL – Energy Label	B
--------------------	---

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	20-01-2023
Primary Article Identifier	4050300932156   4008321244314   4062172017039   4062172350235
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54321	4008321244314	Shipping box (Case)	1	13.4 in x 6.3 in x 6.5 in	1.4 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.