

64678 800W 230V 12/CS 1/SKU



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Technical data

General product information

Product Number	54497
Product Name	64678 800W 230V 12/CS 1/SKU
Ordering Abbreviation	64678 800W 230V 12/CS 1/SKU

Electrical data

Nominal Wattage	800 W
Nominal Voltage	230 V
Type of Current	AC

Light technical data

Luminous Flux	20000 lm
Light Center Length - LCL (in)	60.52 in
Light Center Length - LCL (mm)	2.38 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	250 h


Physical attributes

Base	G9.5 MEDIUM BIPIN
Bulb Shape	T6
Length l (in)	101 in
Length l (mm)	3.98 mm
Diameter d (in)	0.720 in
Diameter d (mm)	18.30 mm

Additional product data

Operating Position	ANY
Lamp Type	SINGLE END

Product datasheet



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54497	4008321624055	Folding box (SKU)	1	1.6 in x 1.6 in x 5.1 in	0.1 lb
54497	4008321624062	Shipping box (Case)	12	7 in x 5.4 in x 6 in	1.4 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.